




Technical Data Sheet Pre-Treatment

Product: Automotive Art Antistatic Cleaner 20-70

Features:	This product is good for the removal of wax, silicone and grease to ensure that the surface is clean for the job on polymer surfaces																
Benefits:	The product removes oil from surfaces, cleans them of silicone and changes the surface tension to prevent electrostatic charges, which are the main reason why dust appears on polymer elements. Recommended for glass and polymer surfaces																
Recommended Use:	This product is recommended to use in preparing surfaces for priming and painting.																
Materials for the job:	Clean white lint free cloth. Spray bottle.																
Physical Properties:	<table style="width: 100%; border: none;"> <tr><td>Specific gravity (kg/l):</td><td style="text-align: right;">-</td></tr> <tr><td>Flash point:</td><td style="text-align: right;">-</td></tr> <tr><td>Vol.% solids:</td><td style="text-align: right;">-</td></tr> <tr><td>Coverage:</td><td style="text-align: right;">-</td></tr> <tr><td>Viscosity:</td><td style="text-align: right;">-</td></tr> <tr><td>Gloss:</td><td style="text-align: right;">-</td></tr> <tr><td>Color:</td><td style="text-align: right;">Clear</td></tr> <tr><td>V.O.C. (RTS):</td><td style="text-align: right;">-</td></tr> </table>	Specific gravity (kg/l):	-	Flash point:	-	Vol.% solids:	-	Coverage:	-	Viscosity:	-	Gloss:	-	Color:	Clear	V.O.C. (RTS):	-
Specific gravity (kg/l):	-																
Flash point:	-																
Vol.% solids:	-																
Coverage:	-																
Viscosity:	-																
Gloss:	-																
Color:	Clear																
V.O.C. (RTS):	-																
Pretreatment:																	
Cleaning the equipment:																	
Shelf Life:	Under normal storage conditions minimum two years (unopened tins).																
Application:	<p>Apply Automotive Art Antistatic Cleaner 20-70 on areas to be worked on using:</p> <ul style="list-style-type: none"> ▪ One cloth and wipe off immediately with second clean cloth. ▪ Or spray bottle and wipe off immediately with a clean cloth. <p>For surfaces with lots of grease and silicone, repeat the process as needed. <u>Work on small areas at a time.</u></p>																
Warnings:																	