

20112 PRO-LINE DIESEL PARTICULATE FILTER PURGE 500ml

Liqui Moly GmbH Chemwatch: 54-6558 Chemwatch Hazard Alert Code: 0

Issue Date: 07/09/2015 Print Date: 09/12/2016 S.GHS.CAN.EN

Version No: 2.1.1.1 Safety Data Sheet

SECTION 1 IDENTIFICATION

Product Identifier

Product name	20112 PRO-LINE DIESEL PARTICULATE FILTER PURGE 500ml	
Synonyms	Item No: 20112	
Other means of identification	Not Available	

Recommended use of the chemical and restrictions on use

Relevant identified uses Cleaner.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	Liqui Moly GmbH
Address	Jerg-Wieland-Strasse 4 Ulm D-89081 Germany
Telephone	+49 731 1420 0
Fax	+49 731 1420 82
Website	Not Available
Email	Not Available

Emergency phone number

Association / Organisation	INFOTRAC
Emergency telephone numbers	+1800 535 5053 (US & Canada)
Other emergency telephone numbers	+1 352 323 3500 (International)

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

CANADIAN WHMIS SYMBOLS

Classification	Not Applicable
Label elements	
GHS label elements	Not Applicable
SIGNAL WORD	NOT APPLICABLE

Hazard statement(s)

Not Applicable

Hazard(s) not otherwise specified

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Page 2 of 6

Issue Date: 07/09/2015 Print Date: 09/12/2016

20112 PRO-LINE DIESEL PARTICULATE FILTER PURGE 500ml

Precautionary statement(s) Storage

Not Applicable

Version No: 2.1.1.1

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name	
Not Available	100	Ingredients determined not to be hazardous	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.	
Skin Contact	skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.	
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. 	
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. 	

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- $\,\blacktriangleright\,$ Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.		
Special protective equipment and precautions for fire-fighters			
Fire Fighting	 Use water delivered as a fine spray to control fire and cool adjacent area. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. 		
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. 		

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. 	
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment. Prevent spillage from entering drains, sewers or water courses. 	

20112 PRO-LINE DIESEL PARTICULATE FILTER PURGE 500ml

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling

- ▶ Limit all unnecessary personal contact.
- ▶ Wear protective clothing when risk of exposure occurs.
- ▶ Use in a well-ventilated area.
- Avoid contact with incompatible materials.

Other information

- ▶ Store in original containers.
- ► Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

Storage incompatibility

Avoid contamination of water, foodstuffs, feed or seed.

None known

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
20112 PRO-LINE DIESEL PARTICULATE FILTER PURGE 500ml	Not Available	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH	
Ingredients determined not to be hazardous	Not Available		Not Available	

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

Personal protection







- ► Safety glasses with side shields
- ► Chemical goggles

 Eye and face protection

 Contact lenses ma
 - ► Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

Hands/feet protection

Wear general protective gloves, eg. light weight rubber gloves.

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care.

No special equipment needed when handling small quantities.

Body protection

See Other protection below

Other protection

OTHERWISE:

► Overalls.

Barrier cream.

Thermal hazards

► Eyewash unit.

Not Available

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Chemwatch: **54-6558** Page 4 of 6

Version No: 2.1.1.1

Issue Date: 07/09/2015 Print Date: 09/12/2016

Appearance	Blue colour clear liquid; miscible with water.			
Physical state	Liquid	Relative density (Water = 1)	1.0	
Odour	Not Available	Partition coefficient n-octanol / water	Not Available	
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available	
pH (as supplied)	7.0	Decomposition temperature	Not Available	
Melting point / freezing point (°C)	0	Viscosity (cSt)	Not Available	
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Applicable	
Flash point (°C)	Not Available	Taste	Not Available	
Evaporation rate	Not Available	Explosive properties	Not Available	
Flammability	Not Available	Oxidising properties	Not Available	
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available	
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available	
Vapour pressure (kPa)	Not Available	Gas group	Not Available	
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available	
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available	

20112 PRO-LINE DIESEL PARTICULATE FILTER PURGE 500ml

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. Skin Contact The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windown). Chronic Chronic Chronic Toxicity Toxicity Inritation Not Available Toxicity Not Available Toxicity Not Available Toxicity Not Available Toxicity Serious Eye Damage/Irritation Reproductivity Serious Eye Damage/Irritation Respiratory or Skin sensitisation Mutagenicity Mutagenicity Mutagenicity Mutagenicity Mutagenicity Mutagenicity Mutagenicity Mutagenicity Magerican Application Application is produce adverse to each exposure be kept to a minimum and that suitable control reasures as "harmful by ingestion". This is because of the lack of corroborating animal or thuran animal models). The material is not thought to produce adverse health effects or she in irritation following contact (as classified by EC Directives using animal models). Productives be used in an occupational setting. The material is not thought to produce adverse health effects or she in irritation following contact (as classified by EC Directives using animal models). Productive for a manufacture in an occu					
animal or human evidence. The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. 20112 PRO-LINE DIESEL PARTICULATE FILTER PURGE 500ml Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2 * Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances Acute Toxicity Skin Irritation/Corrosion Respiratory or Skin sensitisation Respiratory or Skin sensitisation	Inhaled				
Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). Chronic Chronic Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. 20112 PRO-LINE DIESEL PARTICULATE FILTER PURGE 500ml Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances Acute Toxicity Skin Irritation/Corrosion Reproductivity Serious Eye Damage/Irritation Respiratory or Skin sensitisation STOT - Repeated Exposure	Ingestion	, , , , , , , , , , , , , , , , , , , ,			
by tearing or conjunctival redness (as with windburn). Chronic Chronic Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. 20112 PRO-LINE DIESEL PARTICULATE FILTER PURGE 500ml Not Available TOXICITY Not Available Not Available 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances Acute Toxicity Skin Irritation/Corrosion Reproductivity Serious Eye Damage/Irritation Respiratory or Skin sensitisation Respiratory or Skin sensitisation	Skin Contact				
20112 PRO-LINE DIESEL PARTICULATE FILTER PURGE 500ml Not Available Not Available	Eye		C Directives), direct contact w	rith the eye may produce transient discomfort characterised	
PARTICULATE FILTER PURGE 500ml Not Available 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances Acute Toxicity Skin Irritation/Corrosion Serious Eye Damage/Irritation Respiratory or Skin sensitisation Respiratory or Skin sensitisation STOT - Repeated Exposure	Chronic			(as classified by EC Directives using animal models);	
PURGE 500ml Not Available Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances Acute Toxicity Skin Irritation/Corrosion Serious Eye Damage/Irritation Respiratory or Skin sensitisation STOT - Repeated Exposure STOT - Repeated Exposure		TOXICITY	IRRITATION		
Acute Toxicity Skin Irritation/Corrosion Serious Eye Damage/Irritation Respiratory or Skin sensitisation STOT - Repeated Exposure STOT - Repeated Exposure		Not Available Not Available			
Skin Irritation/Corrosion Serious Eye Damage/Irritation Respiratory or Skin sensitisation STOT - Repeated Exposure STOT - Repeated Exposure	Legend:	, ,	,	rom manufacturer's SDS. Unless otherwise specified data	
Skin Irritation/Corrosion Serious Eye Damage/Irritation Respiratory or Skin sensitisation STOT - Repeated Exposure STOT - Repeated Exposure					
Serious Eye Damage/Irritation Respiratory or Skin sensitisation STOT - Single Exposure STOT - Repeated Exposure	Acute Toxicity	0	Carcinogenicity	0	
Damage/Irritation Respiratory or Skin sensitisation STOT - Single Exposure STOT - Repeated Exposure	Skin Irritation/Corrosion	0	Reproductivity	0	
sensitisation SIO1 - Repeated Exposure	•	0	STOT - Single Exposure	0	
Mutagenicity Aspiration Hazard	· · · · · · · · · · · · · · · · · · ·	○ ST	OT - Repeated Exposure	0	
	Mutagenicity	0	Aspiration Hazard	0	

Legend:

X − Data available but does not fill the criteria for classification
 ✓ − Data required to make classification available

Chemwatch: 54-6558 Page 5 of 6

Version No: 2.1.1.1

20112 PRO-LINE DIESEL PARTICULATE FILTER PURGE 500ml

Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
Not Available	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
	No Data available for all ingredients	No Data available for all ingredients	

Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

Mobility in soil

Ingredient	Mobility	
	No Data available for all ingredients	

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains
- ▶ It may be necessary to collect all wash water for treatment before disposal.
- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- Product / Packaging disposal
- ► Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or incineration in a licenced apparatus (after admixture with suitable combustible material).
- Decontaminate empty containers.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO

Land transport (TDG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

National Inventory	Status
Australia - AICS	Υ
Canada - DSL	Υ
Canada - NDSL	Υ
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	Υ
Korea - KECI	Υ
New Zealand - NZIoC	Υ
Philippines - PICCS	Υ
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

Issue Date: 07/09/2015

Print Date: 09/12/2016

Chemwatch: 54-6558 Page 6 of 6 Issue Date: 07/09/2015

Version No: 2.1.1.1

20112 PRO-LINE DIESEL PARTICULATE FILTER PURGE 500ml

Print Date: 09/12/2016

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.